

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/09/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G660	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/04/2014
NAME OF PROVIDER OR SUPPLIER RESIDENTIAL CRF INC			STREET ADDRESS, CITY, STATE, ZIP CODE 100 GRAY RD CONNERSVILLE, IN 47331		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
W 000	<p>INITIAL COMMENTS</p> <p>This visit was for an annual fundamental recertification and state licensure survey.</p> <p>Dates of Survey: June 2, 3 and 4, 2014.</p> <p>Facility Number: 001196 Provider Number: 15G660 AIMS Number: 100234440</p> <p>Surveyor: Vickie Kolb, RN</p> <p>Residential CRF Inc. was found to be in compliance with 42 CFR Part 483, Subpart I and 460 IAC 9 in regard to the annual fundamental recertification and state licensure survey.</p> <p>Quality review completed June 6, 2014 by Dotty Walton, QIDP.</p>	W 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.